

MUNICIPAL CORPORATION OF DELHI  
PUBLIC HEALTH DEPARTMENT, CENTRAL ZONE  
SHIV MANDIR MARG, LAJPAT NAGAR, NEW DELHI

No.DHO/CNZ/2023/D-608

Dated: 10/07/2023.

SCHOOL HEALTH CERTIFICATE

Name of the school: DEV SAMAJ MODERN SCHOOL

Address of School: Nehru Nagar, (Opp. Srinivaspuri) New Delhi-110065

Shifts: ONE Timing: MORNING

No. of Students: Boys: 1303 Girls: 988 Total: 2291

No. of Staff (Teachers): Female:96 Male: 21 Total: 117


That the accommodation provided for the class rooms as calculated.

1. (A) On floor space is sufficient Yes  
(B) On Cubic space is sufficient Yes
2. That the classrooms are well ventilated Yes
3. That the classrooms are kept neat and clean Yes
4. That the classrooms are well lighted Yes

That the building is not in substantial repair in the class of NIL

5. That the drinking water is wholesome Wholesome
6. That the latrines arrangement is adequate and there are sufficient latrines.
7. That urinals arrangement is adequate and there are sufficient urinals

This certificate is issued for sanitary and hygienic condition from health point of view of the school premises. This certificate has no bearing structure stability and fire safety. This certificate is valid for one year from the date of Issue.



Dy. Health Officer  
Central Zone

Deputy Health Officer  
Central Zone, MCD



**STOP CORONA**

- (i) WASH YOUR HANDS
- (ii) WEAR MASK
- (iii) MAINTAIN SOCIAL DISTANCE

**DELHI JAL BOARD**  
**WATER WORKS WAZIRABAD**  
**DELHI - 110054**  
Cash/Draft/C.D.R.

Challan No.78

Dated:30.05.2022

Name of Depositor	Description	Amount
M/S DEV Samaj Modern School Nehru Nagar ( Opp. Srinivaspuri) New Delhi-65	Testing fee for 02 No of water sample for Bacteriological for drinking purpose.	1640/=
	CBF No. 31 Received Rs. 1640/- Challan No. 78 Date. 30/05/2022	

Bacteriologist /Chemist

*[Handwritten Signature]*  
30/5



"STOP CORONA VIRUS-Wash Your Hand/Wear Mask/Maintain Social Distance"



DELHI JAL BOARD  
(GOVT. OF N.C.T. DELHI)  
QUALITY CONTROL ZONAL LABORATORY (SOUTH)  
WATER WORKS OKHLA DELHI-110025



Licence No- CRO/QML-8004290 (IS/ISO 9001:2015)

Ref. A.C.W.A.(South)Pald/2022-23/P25-26/Challan no 78 dt 30.05.22

S. No 8014

Date: 15.06.22

M/S DEV SAMAJ MODERN SCHOOL,  
NEHRU NAGAR (OPP. SRINIVASPURI)  
DELHI - 110065

S.N	Characteristics	Unit	Acceptable Limit	Permissible Limit	Test Method	TAP KITCHEN G.F.	DRINKING POINT MAIN GATE
<b>Table 1: Physical Examination</b>							
1.	Clarity	Unit	5	15	IS 3025 Part-4	Clear	Clear
2.	Odour	---	Agreeable	Agreeable	IS 3025 Part-5	No. Obj.	No. Obj.
3.	Turbidity	NTU	1	5	IS 3025 Part-10	3.65	1.89
4.	pH Value	---	6.5-8.5	No relaxation	IS 3025 Part-11	7.4	7.6
5.	Conductivity	µmho/cm <sup>2</sup>	---	---	---	194	185
6.	Total Dissolved Solids	mg/l.	500	2000	IS 3025 Part-16	126	120
<b>Table 2: CHEMICAL EXAMINATION</b>							
1.	Phenolphthalein Alkalinity	mg/l.	---	---	---	NIL	NIL
2.	Total Alkalinity (as CaCO <sub>3</sub> )	mg/l.	200	600	IS 3025 Part-23	58	60
3.	Total Hardness (as CaCO <sub>3</sub> )	mg/l.	200	600	IS 3025 Part-21	84	80
4.	Carbonate hardness	mg/l.	---	---	---	58	60
5.	Non-Carbonate Hardness	mg/l.	---	---	---	26	20
6.	Calcium Hardness	mg/l.	---	---	---	58	56
7.	Magnesium Hardness	mg/l.	---	---	---	26	24
8.	Ammonia (as Total N)	mg/l.	0.5	No relaxation	IS 3025 Part-34	ND	ND
9.	Nitrite (as N)	mg/l.	---	---	---	ND	ND
10.	Nitrate	Mg/L	---	45.0	IS 3025 Part-34	2.6	2.6
11.	Sulphate (as SO <sub>4</sub> )	mg/l.	200	400	IS 3025 Part-24	23	22
12.	Chloride (as Cl)	mg/l.	250	1000	IS 3025 Part-40	14	14
13.	Iron	Mg/l	---	1.0	IS 3025 Part-53	0.02	0.02
14.	Fluoride	mg/l.	1.0	1.5	IS 3025 Part-60	0.5	0.2
15.	Calcium (as Ca)	mg/l.	75	200	IS 3025 Part-57	23.2	22.4
16.	Magnesium (as Mg)	mg/l.	30	100	IS 3025 Part-46	6.24	5.76
17.	Free Residual Chlorine	mg/l.	0.2	1	IS 3025 Part-26	0.85	0.25

REMARKS :- AS PER BIS-10500:2012. On the basis of tested parameters the both sample result are within permissible limit, Subject to Bacteriological analysis result.

*[Signature]*  
Assistant Chief Water Analyst  
Delhi Jal Board (A Govt. of Delhi)  
Zonal Laboratory (South)  
W.W. Okhla New Delhi - 110 025

*[Signature]*  
15/6/22  
CHEMIST

*[Signature]*  
ANALYST


Copy to:-  
1 CWA(W&S)-III  
2 Office Copy




"STOP CORONA VIRUS-Wash Your Hand/Wear Mask/Maintain Social Distance"



DELHI JAL BOARD  
(GOVT. OF N.C.T. DELHI)  
QUALITY CONTROL ZONAL LABORATORY (SOUTH)  
WATER WORKS OKHLA DELHI-110015



Licence No- CRO/QML-8004290 IS/ISO 9001:2015



Dated:13.06.2022

No. DJB/DTQC/ CWA (W&S)III / ACWA (south)/ Paid/ Bact. /2022-2023/25-26/08.06.2022

Bacteriological Analysis Report as per IS 10500:2012

To Dev Samaj Modern School Nehru Nagar, Opp. Srinivaspuri New Delhi -110065	Party Ref.No./Date: NIL/28.05.2022 Deptt.Challan No. /date: 78/30.05.2022 Dt.of sample collection: 08.06.2022 No. of Sample: Two(02) Collected by: Name- Sh. V.P Singh Desig.- Bacteriologist
---	--

SL.No.	Particulars	Clarity	Residual chlorine	Total coliform/ E.coli in 100 ml sample
1.	Tap Kitchen Dev Samaj Modern school	Clear	0.85	0
2.	Drinking Point Near Entrance Main Gate	Clear	0.25	0

RESULT:- Collected water sample(s) as mentioned above at Sr.No. 1&2 were found bacteriological satisfactory, hence the water/source is fit for drinking/recreational purpose subject to satisfactory attached Physical-Chemical Analysis report also.

ACWA (SOUTH)  
Assistant Chief Water Analyst  
Delhi Jal Board (A Govt. of Delhi)  
Zonal Laboratory (South)  
W.W. Okhla New Delhi - 110 025

BACTERIOLOGIST(SOUTH)

ASSTT/BACT.



"STOP CORONA VIRUS-Wash Your Hand/Wear Mask/Maintain Social Distance"



DELHI JAL BOARD  
(GOVT. OF N.C.T. DELHI)  
QUALITY CONTROL ZONAL LABORATORY (SOUTH)  
WATER WORKS OKHLA DELHI-110025



Licence No- CROQML-8004290 IS/ISO 9001:2015

Ref. A.C.W.A.(South)/Pkd/2022-23/P25-26/C halkan no 78 dt 30.05.22

S. No #014

Date: 15.04.22

N/S DEV SAMAJ MODERN SCHOOL  
NEHRU NAGAR (O.P. SRINIVASPURI)  
DELHI - 110063

S/N	Characteristics	Unit	Acceptable Limit	Permissible Limit	Test Method	TAP KITCHEN G.P.	DRINKING POINT MAIN GATE
<b>Table 1: Physical Examination</b>							
1.	Clarity	Unit	5	15	IS 3025 Part-4	Clear	Clear
2.	Colour	---	Agreeable	Agreeable	IS 3025 Part-5	No. Obj	No. Obj
3.	Turbidity	NTU	1	5	IS 3025 Part-10	3.65	1.89
4.	pH Value	---	6.5-8.5	No relaxation	IS 3025 Part-11	7.4	7.6
5.	Conductivity	µmho/cm <sup>2</sup>	---	---	---	194	185
6.	Total Dissolved Solids	mg/L	500	2000	IS 3025 Part-16	126	126
<b>Table 2: CHEMICAL EXAMINATION</b>							
1.	Phenolphthalein Alkalinity	mg/L	---	---	---	NIL	NIL
2.	Total Alkalinity (as CaCO <sub>3</sub> )	mg/L	200	600	IS 3025 Part-23	58	60
3.	Total Hardness (as CaCO <sub>3</sub> )	mg/L	200	600	IS 3025 Part-21	84	80
4.	Carbonate hardness	mg/L	---	---	---	58	60
5.	Non-Carbonate Hardness	mg/L	---	---	---	26	20
6.	Calcium Hardness	mg/L	---	---	---	58	50
7.	Magnesium Hardness	mg/L	---	---	---	26	24
8.	Ammonia (as Total N)	mg/L	0.5	No relaxation	IS 3025 Part-34	ND	ND
9.	Nitrite (as N)	mg/L	---	---	---	ND	ND
10.	Nitrate	Mg/L	---	45.0	IS 3025 Part-34	2.6	2.6
11.	Sulphate (as SO <sub>4</sub> )	mg/L	200	400	IS 3025 Part-24	23	22
12.	Chloride (as Cl)	mg/L	250	1000	IS 3025 Part-40	14	14
13.	Iron	Mg/l	---	1.0	IS 3025 Part-53	0.02	0.02
14.	Fluoride	mg/L	1.0	1.5	IS 3025 Part-60	0.5	0.2
15.	Calcium (as Ca)	mg/L	75	200	IS 3025 Part-57	23.2	22.4
16.	Magnesium (as Mg)	mg/L	10	100	IS 3025 Part-46	6.24	5.76
17.	Free Residual Chlorine	mg/L	0.2	1	IS 3025 Part-26	0.85	0.25

REMARKS :- AS PER BIS-10500:2012 On the basis of tested parameters the both sample result are within permissible limit, Subject to Bacteriological analysis result.

*[Signature]*  
Assistant Chief Water Analyst  
Delhi Jal Board (A Govt. of Delhi)  
Zonal Laboratory (South)  
W.W. Okhla New Delhi - 110 025

*[Signature]*  
15/04/22  
CHEMIST

*[Signature]*  
CHEMIST


Copy to:-  
1 (WA/W&S)-III  
2 Office Copy



"STOP CORONA VIRUS-Wash Your Hand/Wear Mask/Maintain Social Distance"



DELHI JAL BOARD  
(GOVT. OF N.C.T. DELHI)  
QUALITY CONTROL ZONAL LABORATORY (SOUTH)  
WATER WORKS OKHLA DELHI-110025



Licence No- CRO/QML-8004290 IS/ISO 9001:2015



Dated:13.06.2022

No. DJB/DTQC/ CWA (W&S)III / ACWA (south)/ Paid/ Bact. /2022-2023/25-26/08.06.2022

Bacteriological Analysis Report as per IS 10500:2012

To Dev Samaj Modern School Nehru Nagar, Opp. Srinivaspuri New Delhi -110065	Party Ref.No./Date: NIL/28.05.2022 Deptt.Challan No. /date: 78/30.05.2022 Dt.of sample collection: 08.06.2022 No. of Sample: Two(02) Collected by: Name- Sh. V.P Singh Desig.- Bacteriologist
---	--

Sl.No.	Particulars	Clarity	Residual chlorine	Total coliform/ E.coli In 100 ml sample
1.	Tap Kitchen Dev Samaj Modern school	Clear	0.85	0
2.	Drinking Point Near Entrance Main Gate	Clear	0.25	0

RESULT:- Collected water sample(s) as mentioned above at Sr.No. 1&2 were found bacteriological satisfactory, hence the water/source is fit for drinking/recreational purpose subject to satisfactory attached Physical-Chemical Analysis report also.

ACWA (SOUTH)

Assistant Chief Water Analyst  
Delhi Jal Board (A Govt. of Delhi)  
Zonal Laboratory (South)  
W.W. Okhla New Delhi - 110 025

BACTERIOLOGIST(SOUTH)

ASSTT/BACT.